

**Range: Bowral Gable**

**Colour: Stack Bond**

**SKU: bowral\_gable\_stack\_bond**

## Technical Data

Length (mm)	230	Characteristic Unconfined Compressive Strength (f 'uc) MPa	>8
Width (mm)	125	Maximum Cold Water Absorption (%)	<15
Height (mm)	76	Initial Rate of Absorption (IRA) (kg/m <sup>2</sup> min)	4.0-6.0
Dimensional Category	DW1	Coefficient of Expansion e'Factor (mm/m)	<1.0
Average Weight / Unit (kg)	4	Durability Class	Exposure Grade
Core Volume (%)	Solid	Liability to Efflorescence	Slight
Units per Square Metre	48.5	Lime Pitting Liability	Slight

A BRAND OF

**BRICKWORKS**